

Model: RCI-RPT-RF2

Manufacturers of Process

Controls and Instrumentation

Repeater for Remote Control Signal Interface With 2.4GHZ Radio Frequency Link



Standard Features:

Extends Distance of Effective Radio Transmission

Provides Access to Non-Line-of-Sight Remotes

Bi-directional Communication using License-free 2.4GHz Radio Band

Spread-Spectrum Radio Technology Provides Reliable Communication

Re-Transmission & Error Correction Algorithms ensure Accurate Data Transmission

Point-to-Point or Host-to-Multipoint Topologies

No Calibration Required

Microprocessor Controlled for High Accuracy

Power: 117 VAC 50/60 Hz (Optional 24 VDC)

High Noise Rejection

CSA and NRTL Approved (LR51078)

Function:

The RCI-RPT-RF2 is a store-and-forward radio signal repeater that can be used to extend the distance between a host and its remote(s). The unit receives data from the host and re-transmits it to the remote(s) and vice-versa. Using a repeater can provide access to remote locations that are not in direct line-of-sight with the host.

Standard RCI-XXX-RF2 units are also capable of acting as a repeater thereby serving a dual function of remote unit and signal repeater (see diagram on back).

The license-free spread-spectrum radio technology allows small systems to be set up with very little effort and at low cost. The technology ensures high communication reliability even in RF-intensive environments.

All units are sold with a ¼ wave omnidirectional whip antenna. Other antennas, such as directional Yagi or Patch antennas, are sold separately.

Options:

- -A: 24VDC Power
- B: 240VAC Power
- N12: NEMA 12 Enclosure

Specifications:

Media: 2.4GHz Spread-Spectrum Radio

Range: up to 1500ft indoors with omnidirectional antenna up to 12 miles line-of-sight with directional antenna

Protocol: MODBUS ASCII Speed: 9600 BAUD

Radio Power Output: 500mW max.

Operating Temperature: -4°F to +140°F (-20°C to +60°C)


Power: 117 VAC, 60/50 Hz, 24VDC Available


Enclosure: NEMA4X (NEMA12 available as an option)

Approvals: ETL 3118354:

UL 60950-1-2007; CSA-C22.2 No. 60950-1-07

RCI-RPT-RF2





Manufactured By:



www.pribusin.com info@pribusin.com

USA:

Pribusin Inc. 743 Marquette Ave. Muskegon, MI 49442 Ph: (231) 788-2900 Fx: (231) 788-2929



CANADA:

Pribusin Inc. 101 Freshway Dr. Unit 57 Concord, Ontario, L4K 1R9 Ph: (905) 660-5336

Fx: (905) 660-4068